

**CLAIM SET AS AMENDED**

1. (Currently Amended) A filter assembly for a cigarette, comprising:  
a cylindrical filter element, said filter element including  
a filter material,  
wrapping paper wound around the filter material, and  
an adhesive region provided between the wrapping paper and the filter material and bonding the wrapping paper and the filter material to each other, the adhesive region having a part applied with adhesive and continuously extending in a circumferential direction of the filter material,  
wherein the filter element is a plain filter element whose filter material is made of a fiber bundle only,  
the filter assembly further comprises a cylindrical charcoal filter element arranged adjacent to the plain filter element,  
the charcoal filter element including  
a filter material made of a bundle of fibers,  
particles of adsorbent distributed through the filter material,  
wrapping paper wound around the filter material,  
an inner adhesive region provided between the filter material and the wrapping paper and bonding the wrapping paper and the filter material to each other, the inner

adhesive region having a part applied with adhesive and continuously extending in a circumferential direction of the filter material,

forming paper wound around the plain and charcoal filter elements to connect the filter elements to each other, and

an outer adhesive region provided between the forming paper and the filter elements and bonding the forming paper to the filter elements, the outer adhesive region having a part applied with adhesive and continuously extending in a circumferential direction of the filter elements,

wherein the adhesive region has a plurality of adhesive-applied parts arranged at intervals in an axial direction of the filter element, and

wherein the adhesive-applied parts constitute a continuous loop pattern having loops arranged in a longitudinal direction of the wrapping paper, as viewed in development of the wrapping paper,

wherein the continuous loop pattern extends over almost an entire surface of the wrapping paper and loops adjacent in the longitudinal direction of the wrapping paper are connected to each other with an overlap.

2-5. (Canceled)

6. (Previously Presented) The filter assembly according to claim 1, wherein the filter material comprises a bundle of fibers.

7-10. (Canceled)

11. (Currently Amended) A method of producing filter assemblies for cigarettes, comprising the steps of:

supplying a rod-like filter member and a paper web to a wrapping section;

continuously wrapping the filter member in the paper web when the filter member and the paper web pass through the wrapping section, to form a filter rod; and

cutting the filter rod into filter plugs of predetermined length,

wherein the paper web supply step includes a process of forming an adhesive region for bonding the paper web and the filter member to each other, the process including applying adhesive to a part of the paper web before the paper web reaches the wrapping section, the adhesive-applied part being continuous in a width direction of the paper web,

wherein the filter member comprises a rod member having plain and charcoal filter plugs alternately arranged in series and wrapped together in forming paper,

each of the plain filter plugs has a filter material and wrapping paper wound around the filter material, and

each of the charcoal filter plugs has a filter material, particles of activated charcoal distributed through the filter material and wrapping paper wound around the filter material,

wherein the adhesive-applied part is formed at intervals in a longitudinal direction of the paper web, and

wherein the adhesive-applied part constitutes a continuous loop pattern having loops arranged in the longitudinal direction of the paper web,

wherein the continuous loop pattern extends over almost an entire surface of the wrapping paper and loops adjacent in the longitudinal direction of the wrapping paper are connected to each other with an overlap.

12-15. (Canceled)

16. (Previously Presented) The method according to claim 11, wherein the filter member comprises a bundle of fibers.

17. (Original) The method according to claim 16, wherein the filter member supply step further includes a process of distributing particles of adsorbent into the fiber bundle before the fiber bundle reaches the wrapping section.

18-21. (Canceled)